

University of Groningen

Restenosis in clinical practice

Rahel, Braim Mohammed

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2005

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Rahel, B. M. (2005). *Restenosis in clinical practice: modern risk factors and treatment options in patients at increased risk for coronary restenosis after balloon angioplasty and stenting*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Restenosis in clinical practice

Modern risk factors and treatment options in patients at increased risk for coronary restenosis after balloon angioplasty and stenting

B.M. Rahel

Cover	St. Tropez – Simone van Doornum
Lay-out	B.M. Rahel
Printed by	Grafische Producties Budde – Elinkwijk, Nieuwegein

ISBN 90-367-2233-0

© Copyright 2005 B.M. Rahel

All rights are reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, mechanically, by photocopying, recording or otherwise, without the written permission of the author.

Rijksuniversiteit Groningen

Restenosis in clinical practice

Modern risk factors and treatment options in
patients at increased risk for coronary restenosis
after balloon angioplasty and stenting

Proefschrift

ter verkrijging van het doctoraat in de
Medische Wetenschappen
aan de Rijksuniversiteit Groningen
op gezag van de
Rector Magnificus, dr. F. Zwarts,
in het openbaar te verdedigen op
woensdag 18 mei 2005
des namiddags om 1.15 uur

door

Braim Mohamed Rahel

Geboren op 23 mei 1972
te Kerkrade

Promotor: Prof. dr. F. Zijlstra

Co-promotores: Dr. H.W.M. Plokker
Dr. M.J. Suttorp

Beoordelingscommissie: Prof. dr. P.W. Boonstra
Dr. J.M.P.G. Ernst
Prof. dr. J.J. Piek
Prof. dr. N.H.J. Pijls

ISBN 90-367-2233-0

Aan mijn ouders
aan Paulien en Nouri

Financial support by the Netherlands Heart Foundation and the Jacques H. de Jong Stichting for the publication of this thesis is gratefully acknowledged.

Financial support by the J.E. Jurriaanse Stichting, AstraZeneca BV, Biotronik Nederland BV, Boston Scientific BV, Cordis BV, Guidant BV, Medtronic BV, Menarini Farma Nederland, Merck Sharp & Dohme BV, Novartis Pharma BV, Pfizer BV, sanofi-aventis, Servier BV and St. Jude Medical BV for the publication of this thesis is gratefully acknowledged.

Contents

CHAPTER 1	Introduction: Coronary Restenosis.	9
CHAPTER 2	Preprocedural serum levels of acute-phase reactants and prognosis after percutaneous coronary intervention. <i>Published in Cardiovascular Research 2003;60:136-140</i>	21
CHAPTER 3	Pre-procedural ACE-activity does not predict in-stent restenosis. <i>Accepted by the International Journal of Cardiology</i>	33
CHAPTER 4	Cytomegalovirus and Chlamydia pneumoniae as predictors for major adverse clinical events and angina pectoris after percutaneous coronary intervention. <i>Published in the American Heart Journal 2004;148:670-675</i>	45
CHAPTER 5	Is Direct Stent Implantation Without Predilatation Safe? Acute and Long-Term Outcome. <i>Published in the Journal of Interventional Cardiology 2002;15:263-268</i>	57
CHAPTER 6	Stenting for Restenotic Lesions with the BARD XT Stent. <i>Published in the Journal of Interventional Cardiology 2003;16:227-230</i>	69
CHAPTER 7	Cutting Balloon for in-stent restenosis: acute and long-term results. <i>Published in the Journal of Interventional Cardiology 2004;17:197-201</i>	77
CHAPTER 8	Primary Stenting of Occluded Native Coronary Arteries: Final Results of the PRISON Study. <i>Published in the American Heart Journal 2004;147:e22</i>	87
CHAPTER 9	Primary Stenting of Occluded Native Coronary Arteries II: Rationale and design of the PRISON II study. <i>Accepted by the American Heart Journal</i>	99
CHAPTER 10	Summary/Samenvatting	105
CHAPTER 11	Dankwoord	117
	Curriculum vitae	121

